## NSN 4810-00-067-7540

Solenoid Valve - Page 1 of 2

**Thread Direction:** 



View Online at https://aerobasegroup.com/nsn/4810-00-067-7540

Right-hand all ends
Aperture Diameter:
0.080 inches
Offset Distance:
0.875 inches
Flow Control Device:
Disk
Flow Control Device Normal Operation Position:
Closed
Maximum Operating Temp:
180.0 degrees fahrenheit single response
Connection Style:
Plain, optional en (pipe) all ends
Current Rating In Amps:
0.167
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe all ends
Mounting Position:
Horizontal or vertical
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.250 inches all ends
Voltage In Volts And Current Type:
24.0 dc
Material:
Steel flow control device
Media For Which Designed:
Hydraulic fluid, silicate-ester base 2nd response
Surface Treatment:
Anodize
Style Designator:
Straight through w/offset
Thread Series Designator:
Npt all ends
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 4810-00-067-7540

Solenoid Valve - Page 2 of 2



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A046b0