NSN 4810-00-069-2317

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-069-2317 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.0934 inches Flow Control Device: Piston Flow Control Device Normal Operation Position: Open **Maximum Operating Temp:** 180.0 degrees fahrenheit single response **Connection Style:** Plain, optional en (pipe) all ends **Current Rating In Amps:** 0.350 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal or vertical **Inlet/outlet Operating Pressure Differential:** 125.0 pounds per square inch **Maximum Operating Pressure:** 160.0 pounds per square inch single response **Thread Size:** 0.125 inches all ends **Voltage In Volts And Current Type:** 28.0 dc **Special Features:** Direct acting Material: Stainless steel Media For Which Designed: Water-oil-gas single response **Surface Treatment:** Chromate zinc **Style Designator:** Angle **Thread Series Designator:** Npt all ends Shelf Life:

N/a

NSN 4810-00-069-2317 Solenoid Valve - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

Demilitarization:

No

Fiig:

A046b0