

View Online at <https://aerobasegroup.com/nsn/4810-00-075-1973>

**Thread Class:**

3a 1st end

**Thread Direction:**

Right-hand 1st end

**Flow Control Device:**

Piston

**Flow Control Device Normal Operation Position:**

Closed

**Connection Style:**

Flared (tube) 1st end

**Current Rating In Amps:**

1.250

**Valve Operation Method:**

Solenoid

**Flange Shape:**

Round 2nd end

**Connection Type:**

Threaded external tube 1st end

**Mounting Position:**

Horizontal or vertical

**Thready Qty Per Inch (tpi):**

12 1st end

**Maximum Operating Pressure:**

140.0 pounds per square inch single response

**Thread Size:**

1.312 inches 1st end

**Seat Angle:**

37.0 degrees 1st end

**Voltage In Volts And Current Type:**

26.0 dc

**Outside Diameter:**

1.574 inches 2nd end

**Thickness:**

0.110 inches 2nd end

**Flange Face Design:**

Plain 2nd end

**Outside Diameter Tube Accommodated:**

1.000 inches 1st end

**Special Features:**

Oriface on first end 0.595 in. Min. 0.605 in. Maximum dia.

**Material:**

Steel seat

**Media For Which Designed:**

Air single response

**Style Designator:**

Straight thru

**Thread Series Designator:**

Un 1st end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A046b0