

NSN 4810-00-081-5524 Solenoid Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4810-00-081-5524 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.043 inches Flow Control Device: **Poppet** Flow Control Device Normal Operation Position: Closed **Maximum Operating Temp:** 125.0 degrees fahrenheit single response **Connection Style:** G9 plain, optional en (pipe) all ends **Current Rating In Amps:** 0.261 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal or vertical **Maximum Operating Pressure:** 300.0 pounds per square inch single response **Thread Size:** 0.125 inches all ends **Voltage In Volts And Current Type:** 120.0 ac Phase:

Single

Special Features:

3 to 8 seconds delayed action opening

Frequency In Hertz:

60.0

Material:

Aluminum alloy body

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Style Designator:

Err-090

Thread Series Designator:

Npt all ends

Shelf Life:

N/a

NSN 4810-00-081-5524 Solenoid Valve - Page 2 of 2



	• •						
ın	1+	Of	ΝЛ	ດລ	CI.	ırı	ο.

Demilitarization:

No

Fiig:

A046b0