## NSN 4810-00-082-7590

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-082-7590 **Thread Class:** 3a 1st end **Thread Direction:** Right-hand 1st end **Aperture Diameter:** 1.000 inches Flow Control Device: Disk Flow Control Device Normal Operation Position: Closed **Renewable Seat Ring Type:** Threaded **Maximum Operating Temp:** 200.0 degrees fahrenheit single response **Connection Style:** Flared (tube) 1st end **Valve Operation Method:** Solenoid **Connection Type:** Threaded external tube 1st end **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 12 1st end **Maximum Operating Pressure:** 265.0 pounds per square inch single response **Thread Size:** 1.312 inches 1st end Seat Angle: 37.0 degrees 1st end **Voltage In Volts And Current Type:** 18.0 dc and 30.0 dc **Outside Diameter Tube Accommodated:** 1.000 inches 1st end Material: Steel seat Media For Which Designed: Air single response **Surface Treatment:** Anodize **Style Designator:** 

Straight through y-pattern

## NSN 4810-00-082-7590

Solenoid Valve - Page 2 of 2



Thread Series Designator:
Un 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A046b0