NSN 4810-00-085-5077

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-085-5077 **Thread Direction:** Right-hand all ends Offset Distance: 1.000 inches Flow Control Device: **Poppet** Flow Control Device Normal Operation Position: Closed **Connection Style:** Plain, optional en (pipe) all ends **Current Rating In Amps:** 0.013 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal or vertical **Maximum Operating Pressure:** 30.0 pounds per square inch single response **Thread Size:** 0.125 inches all ends **Voltage In Volts And Current Type:** 440.0 ac and 480.0 ac Phase: Single **Special Features:** Mtg bracket and 2 screws Frequency In Hertz: 50.0 and 60.0 Material: Steel flow control device Media For Which Designed: Water-oil-gas single response **Style Designator:** Cross w/offset **Thread Series Designator:** Npt all ends **Furnished Items And Quantity:** 2 adapter Shelf Life:

N/a

NSN 4810-00-085-5077 Solenoid Valve - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МА	261	ıre:

Demilitarization:

No

Fiig:

A046b0