# NSN 4810-00-121-9052

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-121-9052

## Thread Direction:

Right-hand all ends

## Offset Distance:

0.438 inches

## Flow Control Device:

Poppet

### Flow Control Device Normal Operation Position:

Closed

#### Connection Style:

Plain, optional en (pipe) all ends

### Current Rating In Amps:

0.422

#### Valve Operation Method:

Solenoid

#### Connection Type:

Threaded internal pipe all ends

## **Mounting Position:**

Horizontal

#### Maximum Operating Pressure:

3000.0 pounds per square inch single response

## Thread Size:

0.375 inches all ends

## Voltage In Volts And Current Type:

110.0 ac

## Phase:

Single

## **Special Features:**

Two mtg holes 0.266 in. Dia

#### Frequency In Hertz:

60.0

#### Material:

Steel flow control device

#### Media For Which Designed:

Oil, hydraulic single response

#### Style Designator:

Straight through w/offset

### **Thread Series Designator:**

Npt all ends

Shelf Life:

N/a

#### Unit Of Measure:

--

# NSN 4810-00-121-9052

Solenoid Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A046b0

