NSN 4810-00-122-6666

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-122-6666 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.062 inches Flow Control Device: Disk Flow Control Device Normal Operation Position: Open **Maximum Operating Temp:** 180.0 degrees fahrenheit single response **Connection Style:** Plain, optional en (pipe) all ends **Current Rating In Amps:** 0.350 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal or vertical **Inlet/outlet Operating Pressure Differential:** 150.0 pounds per square inch **Maximum Operating Pressure:** 200.0 pounds per square inch single response **Thread Size:** 0.250 inches all ends **Voltage In Volts And Current Type:** 24.0 dc **Special Features:** Direct acting Material: Stainless steel flow control device Media For Which Designed: Water-oil-gas single response **Surface Treatment:** Chromate zinc **Style Designator:** Angle **Thread Series Designator:** Npt all ends

N/a

Shelf Life:

NSN 4810-00-122-6666

Solenoid Valve - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A046b0