NSN 4810-00-122-6666

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-122-6666

Thread Direction: Right-hand all ends

Aperture Diameter:

0.062 inches

Flow Control Device:

Disk

Flow Control Device Normal Operation Position:

Open

Maximum Operating Temp:

180.0 degrees fahrenheit single response

Connection Style:

Plain, optional en (pipe) all ends

Current Rating In Amps:

0.350

Valve Operation Method:

Solenoid

Connection Type:

Threaded internal pipe all ends

Mounting Position:

Horizontal or vertical

Inlet/outlet Operating Pressure Differential:

150.0 pounds per square inch

Maximum Operating Pressure:

200.0 pounds per square inch single response

Thread Size:

0.250 inches all ends

Voltage In Volts And Current Type:

24.0 dc

Special Features:

Direct acting

Material:

Stainless steel flow control device

Media For Which Designed:

Water-oil-gas single response

Surface Treatment:

Chromate zinc

Style Designator:

Angle

Thread Series Designator:

Npt all ends

Shelf Life:

N/a

NSN 4810-00-122-6666

Solenoid Valve - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A046b0

