# NSN 4810-00-137-1901

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-137-1901

## Thread Direction:

Right-hand all ends

# **Flow Control Device:**

Disk

# Flow Control Device Normal Operation Position:

Closed

## Maximum Operating Temp:

250.0 degrees fahrenheit single response

#### **Connection Style:**

Plain (pipe) all ends

#### Valve Operation Method:

Solenoid

#### Connection Type:

Threaded external pipe all ends

#### **Mounting Position:**

Vertical

#### Inlet/outlet Operating Pressure Differential:

5.0 pounds per square inch

#### Maximum Operating Pressure:

5.0 pounds per square inch 1st response

## Thread Size:

0.500 inches all ends

## Voltage In Volts And Current Type:

220.0 ac

Phase:

Single

## Frequency In Hertz:

60.0

#### Material:

Copper alloy body

## Media For Which Designed:

Water-oil-gas 2nd response

#### Style Designator:

Straight thru

#### **Thread Series Designator:**

Npt all ends

### Shelf Life:

N/a

## Unit Of Measure:

--

### Demilitarization:

No

# NSN 4810-00-137-1901

Solenoid Valve - Page 2 of 2

**Fiig:** A046b0

