

View Online at <https://aerobasegroup.com/nsn/4810-00-162-2948>

Thread Class:

3a 2nd end

Thread Direction:

Right-hand 2nd end

Flow Control Device:

Disk

Flow Control Device Normal Operation Position:

Closed

Maximum Operating Temp:

200.0 degrees fahrenheit single response

Connection Style:

External seat for gasket seal (boss) 2nd end

Current Rating In Amps:

1.700

Valve Operation Method:

Solenoid

Flange Shape:

Round 1st end

Connection Type:

Threaded external boss 2nd end

Mounting Position:

Horizontal or vertical

Thready Qty Per Inch (tpi):

12 2nd end

Maximum Operating Pressure:

60.0 pounds per square inch single response

Thread Size:

1.062 inches 2nd end

Voltage In Volts And Current Type:

18.0 dc and 30.0 dc

Outside Diameter:

0.989 inches 1st end

Thickness:

0.065 inches 1st end

Flange Face Design:

Plain 1st end

Outside Diameter Tube Accommodated:

0.750 inches 2nd end

Material:

Steel comp 303 seat

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Surface Treatment:

Anodize

Style Designator:

Straight thru

Thread Series Designator:

Un 2nd end

Reference Number Differentiating Characteristics:

As differentiated by the source control dwg no.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A046b0