## NSN 4810-00-172-2254

Solenoid Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4810-00-172-2254

Pipe Size Accommodated:
0.250 inches 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Flow Control Device Normal Operation Position:
Open
Connection Style:
Plain, optional en (pipe) 1st end
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe 1st end
Mounting Position:
Horizontal
Thready Qty Per Inch (tpi):
18 1st end
Thread Size:
0.250 inches 1st end
Voltage In Volts And Current Type:
Voltage In Volts And Current Type: 115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc
115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc
115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc <b>Phase:</b>
115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc  Phase:  Single
115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc  Phase:  Single  Frequency In Hertz:
115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc  Phase:  Single  Frequency In Hertz:  60.0 and 60.0 and 60.0
115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc  Phase: Single Frequency In Hertz: 60.0 and 60.0 and 60.0  Material:
115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc  Phase: Single Frequency In Hertz: 60.0 and 60.0 and 60.0  Material: Stainless steel seat
115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc  Phase: Single Frequency In Hertz: 60.0 and 60.0 and 60.0  Material: Stainless steel seat  Style Designator:
115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc  Phase: Single Frequency In Hertz: 60.0 and 60.0 and 60.0  Material: Stainless steel seat Style Designator: Straight thru
115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc  Phase: Single Frequency In Hertz: 60.0 and 60.0 and 60.0  Material: Stainless steel seat Style Designator: Straight thru Thread Series Designator:
115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc  Phase: Single Frequency In Hertz: 60.0 and 60.0 and 60.0  Material: Stainless steel seat Style Designator: Straight thru Thread Series Designator: Npt 1st end
115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc  Phase: Single Frequency In Hertz: 60.0 and 60.0 and 60.0  Material: Stainless steel seat Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life:
115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc  Phase: Single Frequency In Hertz: 60.0 and 60.0 and 60.0  Material: Stainless steel seat Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a
115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc  Phase: Single Frequency In Hertz: 60.0 and 60.0 and 60.0  Material: Stainless steel seat Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a
115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc  Phase: Single Frequency In Hertz: 60.0 and 60.0 and 60.0  Material: Stainless steel seat Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a Unit Of Measure:
115.0 ac and 230.0 ac and 460.0 ac and 24.0 dc and 110.0 dc  Phase: Single Frequency In Hertz: 60.0 and 60.0 and 60.0  Material: Stainless steel seat Style Designator: Straight thru Thread Series Designator: Npt 1st end Shelf Life: N/a Unit Of Measure: Demilitarization: