

View Online at <https://aerobasegroup.com/nsn/4810-00-190-7941>

**Aperture Diameter:**

0.250 inches

**Flow Control Device:**

Diaphragm

**Flow Control Device Normal Operation Position:**

Open

**Maximum Operating Temp:**

160.0 degrees fahrenheit single response

**Connection Style:**

Plain (tube) 2nd end

**Current Rating In Amps:**

0.510

**Valve Operation Method:**

Solenoid

**Connection Type:**

Unthreaded internal tube 1st end

**Mounting Position:**

Horizontal or vertical

**Inlet/outlet Operating Pressure Differential:**

Between 1.0 pounds per square inch and 250.0 pounds per square inch

**Maximum Operating Pressure:**

425.0 pounds per square inch single response

**Voltage In Volts And Current Type:**

24.0 dc

**Outside Diameter Tube Accommodated:**

0.500 inches 1st end

**Special Features:**

With two wire leads and connector

**Material:**

Plastic polytetrafluoroethylene flow control device and glass fiber flow control device

**Media For Which Designed:**

Fuel/oil, hydrocarbon 1st response

**Style Designator:**

Straight thru

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A046b0