NSN 4810-00-200-2831



Solenoid Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4810-00-200-2831 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.750 inches Flow Control Device: Diaphragm Flow Control Device Normal Operation Position: Closed **Maximum Operating Temp:** 200.0 degrees fahrenheit single response **Connection Style:** Plain, optional en (pipe) all ends **Current Rating In Amps:** 0.140 and 0.128 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal **Inlet/outlet Operating Pressure Differential:** Between 1.0 pounds per square inch and 15.0 pounds per square inch **Maximum Operating Pressure:** 400.0 pounds per square inch single response **Thread Size:** 0.750 inches all ends **Voltage In Volts And Current Type:** 110.0 ac and 120.0 ac Phase: Single **Special Features:** Explosion-proof-watertight solenoid enclosure Frequency In Hertz: 50.0 and 60.0 Material: Plastic polytetrafluoroethylene seat **Style Designator:** Straight thru **Thread Series Designator:** Npt all ends

N/a

Shelf Life:

NSN 4810-00-200-2831 Solenoid Valve - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

Demilitarization:

No

Fiig:

A046b0