

View Online at <https://aerobasegroup.com/nsn/4810-00-200-2839>

**Pipe Size Accommodated:**

0.375 inches 1st end

**Thread Direction:**

Right-hand 1st end

**Aperture Diameter:**

0.625 inches

**Flow Control Device:**

Diaphragm

**Flow Control Device Normal Operation Position:**

Closed

**Maximum Operating Temp:**

250.0 degrees fahrenheit single response

**Connection Style:**

Plain, optional en (pipe) 1st end

**Current Rating In Amps:**

0.050

**Valve Operation Method:**

Solenoid

**Connection Type:**

Threaded internal pipe 1st end

**Mounting Position:**

Horizontal

**Thready Qty Per Inch (tpi):**

18 1st end

**Inlet/outlet Operating Pressure Differential:**

Between 5.0 pounds per square inch and 200.0 pounds per square inch

**Maximum Operating Pressure:**

300.0 pounds per square inch single response

**Thread Size:**

0.375 inches 1st end

**Voltage In Volts And Current Type:**

120.0 ac

**Phase:**

Single

**Special Features:**

Explosion-proof-watertight solenoid enclosure

**Frequency In Hertz:**

60.0

**Material:**

Rubber flow control device

**Material Specification:**

Rubber, buna-n assn standard single material response seat

**Media For Which Designed:**

Water-oil-gas single response

**Style Designator:**

Straight thru

**Thread Series Designator:**

Npt 1st end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0