NSN 4810-00-202-6632

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-202-6632

Aperture Diameter:
1.125 inches
Flow Control Device:
Disk
Flow Control Device Normal Operation Position:
Open
Bolt Hole Quantity:
4 all ends
Current Rating In Amps:
0.570
Valve Operation Method:
Solenoid
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Position:
Vertical
Valve Size:
1.000 inches
Maximum Operating Pressure:
50.0 pounds per square inch single response
Voltage In Volts And Current Type:
115.0 ac
Outside Diameter:
4.250 inches all ends
Face To Face Distance:
4.875 inches
Thickness:
0.438 inches all ends
First Connection Face To Centerline Distance:
4.000 inches
Bolt Hole Diameter:
0.562 inches all ends
Bolt Circle Diameter:
3.125 inches all ends
Flange Face Design:
Plain all ends
Phase:
Single
Frequency In Hertz:

60.0

NSN 4810-00-202-6632

Solenoid Valve - Page 2 of 2



NЛ	2	te	r	2	

Nickel alloy flow control device

Media For Which Designed:

Water, fresh single response

Style Designator:

Cross flanged ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0