NSN 4810-00-209-8027

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-209-8027 **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end Flow Control Device: **Poppet** Flow Control Device Normal Operation Position: Open **Maximum Operating Temp:** 135.0 degrees fahrenheit single response **Connection Style:** Gasket sea (boss) 1st end **Current Rating In Amps:** 1.200 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal boss 1st end **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 12 1st end **Maximum Operating Pressure:** 50.0 pounds per square inch single response **Thread Size:** 1.312 inches 1st end Seat Angle: 37.0 degrees 1st end **Voltage In Volts And Current Type:** 22.0 dc and 29.0 dc **Outside Diameter Tube Accommodated:** 1.000 inches 1st end Material: Aluminum alloy seat Media For Which Designed: Hydraulic fluid, phosphate-ester base single response **Surface Treatment:** Anodize Style Designator:

Err-090

Thread Series Designator:
Un 1st end

NSN 4810-00-209-8027

Solenoid Valve - Page 2 of 2



_					
C.	~~	14	I i	ife:	
J.	16			HE.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0