NSN 4810-00-218-1553

Globe Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-218-1553

View Online at https://aerobasegroup.com/nsn/4810-00-218-1553
Flow Control Device:
Disk
Bonnet Attachment Method:
Bolted
Renewable Seat Ring Type:
Threaded
Bolt Hole Quantity:
6 all ends
Valve Operation Method:
Hydraulic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Features Provided:
Bonnet packing
Maximum Operating Pressure:
150.0 pounds per square inch single response
Outside Diameter:
5.562 inches all ends
Face To Face Distance:
9.000 inches
Thickness:
0.438 inches all ends
Bolt Hole Diameter:
0.562 inches all ends
Bolt Circle Diameter:
4.438 inches all ends
Flange Face Design:
Plain all ends
Special Features:
W/0.375 in.Union joint internal silver brazing operating media connection, unthd sliding stem bonnet type, one position indicator furnished
Material:
Nickel alloy r-405 stem
Material Specification:
Qq-n-288, comp b federal specification single material response seat
Style Designator:
Straight through flanged ends
Shelf Life:
N/a
Unit Of Measure:

--

NSN 4810-00-218-1553

Globe Valve - Page 2 of 2



em			

No

Fiig:

A046b0