## NSN 4810-00-221-4451

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-221-4451

Pipe Size Accommodated:
0.500 inches 1st end
Thread Direction:
Right-hand 1st end
Aperture Diameter:
0.688 inches
Flow Control Device:
Diaphragm
Flow Control Device Normal Operation Position:
Closed
Maximum Operating Temp:
77.0 degrees fahrenheit single response
Connection Style:
Plain, optional en (pipe) 1st end
Current Rating In Amps:
0.098
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe 1st end
Mounting Position:
Horizontal
Thready Qty Per Inch (tpi):
14 1st end
Maximum Operating Pressure:
150.0 pounds per square inch single response
Thread Size:
0.500 inches 1st end
Voltage In Volts And Current Type:
120.0 ac
Phase:
Single
Special Features:
Explosion-proof-watertight solenoid enclosure
Frequency In Hertz:
60.0
Material:
Rubber flow control device
Material Specification:
Mil-r-1149, ty2, cl1 military specification single material response seat

Straight thru

## NSN 4810-00-221-4451

Solenoid Valve - Page 2 of 2



Thread Series Designator:
Npt 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A046b0
Mil-std (military Standard):

Mil-r-1149 spec.