

View Online at <https://aerobasegroup.com/nsn/4810-00-230-3579>

**Thread Class:**

3a all ends

**Thread Direction:**

Right-hand all ends

**Flow Control Device:**

Piston

**Flow Control Device Normal Operation Position:**

Closed

**Maximum Operating Temp:**

160.0 degrees fahrenheit single response

**Connection Style:**

Flared (tube) all ends

**Current Rating In Amps:**

0.700

**Valve Operation Method:**

Solenoid

**Connection Type:**

Threaded external tube all ends

**Mounting Position:**

Horizontal

**Maximum Operating Pressure:**

1000.0 pounds per square inch single response

**Thread Size:**

0.437 inches all ends

**Seat Angle:**

37.0 degrees all ends

**Voltage In Volts And Current Type:**

18.0 dc and 30.0 dc

**Special Features:**

Supports grumman a-10 aircraft

**Material:**

Stainless steel flow control device

**Material Specification:**

66 federal standard single material response body

**Media For Which Designed:**

Air single response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Qq-p-416, type 2, class 2 federal specification single treatment response

**Style Designator:**

Straight thru

**Thread Series Designator:**

Unf all ends

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0