

View Online at <https://aerobasegroup.com/nsn/4810-00-248-6467>

**Pipe Size Accommodated:**

0.750 inches 1st end

**Thread Direction:**

Right-hand 1st end

**Aperture Diameter:**

0.750 inches

**Flow Control Device:**

Diaphragm

**Flow Control Device Normal Operation Position:**

Closed

**Maximum Operating Temp:**

20.0 degrees fahrenheit 2nd response

**Connection Style:**

Plain, optional en (pipe) 1st end

**Current Rating In Amps:**

0.130

**Valve Operation Method:**

Solenoid

**Connection Type:**

Threaded internal pipe 1st end

**Mounting Position:**

Horizontal or vertical

**Thready Qty Per Inch (tpi):**

14 1st end

**Maximum Operating Pressure:**

200.0 pounds per square inch 2nd response

**Thread Size:**

0.750 inches 1st end

**Voltage In Volts And Current Type:**

208.0 ac and 240.0 ac

**Phase:**

Single

**Special Features:**

Waterproofed coil assembly

**Frequency In Hertz:**

50.0 and 60.0

**Material:**

Rubber synthetic flow control device

**Material Specification:**

Mil-p-5315, rubber, synthetic military specification single material response flow control device

**Media For Which Designed:**

Air 1st response

**Style Designator:**

Straight thru

**Thread Series Designator:**

Npt 1st end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0

**Mil-std (military Standard):**

Mil-p-5315 spec.