

View Online at <https://aerobasegroup.com/nsn/4810-00-248-6467>

Pipe Size Accommodated:

0.750 inches 1st end

Thread Direction:

Right-hand 1st end

Aperture Diameter:

0.750 inches

Flow Control Device:

Diaphragm

Flow Control Device Normal Operation Position:

Closed

Maximum Operating Temp:

20.0 degrees fahrenheit 2nd response

Connection Style:

Plain, optional en (pipe) 1st end

Current Rating In Amps:

0.130

Valve Operation Method:

Solenoid

Connection Type:

Threaded internal pipe 1st end

Mounting Position:

Horizontal or vertical

Thready Qty Per Inch (tpi):

14 1st end

Maximum Operating Pressure:

200.0 pounds per square inch 2nd response

Thread Size:

0.750 inches 1st end

Voltage In Volts And Current Type:

208.0 ac and 240.0 ac

Phase:

Single

Special Features:

Waterproofed coil assembly

Frequency In Hertz:

50.0 and 60.0

Material:

Rubber synthetic flow control device

Material Specification:

Mil-p-5315, rubber, synthetic military specification single material response flow control device

Media For Which Designed:

Air 1st response

Style Designator:

Straight thru

Thread Series Designator:

Npt 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0

Mil-std (military Standard):

Mil-p-5315 spec.