

View Online at <https://aerobasegroup.com/nsn/4810-00-287-3929>

**Flow Control Device:**

Disk

**Bonnet Type:**

Inside screw

**Bonnet Attachment Method:**

Bolted

**Renewable Seat Ring Type:**

Threaded

**Bolt Hole Quantity:**

8 1st end

**Maximum Operating Temp:**

850.0 degrees fahrenheit single response

**Valve Operation Method:**

Hydraulic

**Flange Shape:**

Round with holes 1st end

**Connection Type:**

Flange 1st end

**Features Provided:**

Bonnet packing

**Valve Size:**

2.000 inches

**Power Drive Operating Pressure:**

600.0 pounds per square inch

**Maximum Operating Pressure:**

600.0 pounds per square inch single response

**Outside Diameter:**

6.500 inches 1st end

**Face To Face Distance:**

11.500 inches

**Thickness:**

1.000 inches 1st end

**Bolt Hole Diameter:**

0.688 inches 1st end

**Bolt Circle Diameter:**

5.000 inches 1st end

**Flange Face Design:**

Raised straight 1st end

**Raised Face Height:**

0.250 inches 1st end

**Raised Face Diameter:**

3.625 inches 1st end

**Special Features:**

Flow control device and seat: steel, molybdenum; 2 end connections; second end relationship w/ first end: identical

**Material:**

Stainless steel stem

**Media For Which Designed:**

Steam single response

**Style Designator:**

Straight through flanged ends

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0