NSN 4810-00-287-5988

Solenoid Valve - Page 1 of 2



Colchold valve 1 age 1 of 2
View Online at https://aerobasegroup.com/nsn/4810-00-287-5988
Pipe Size Accommodated:
0.375 inches all ends
Thread Direction:
Right-hand all ends
Aperture Diameter:
0.125 inches
Flow Control Device:
Piston
Flow Control Device Normal Operation Position:
Closed
Renewable Seat Ring Type:
Threaded
Maximum Operating Temp:
225.0 degrees fahrenheit 2nd response
Connection Style:
Plain, optional en (pipe) all ends
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe all ends
Mounting Position:
Horizontal
Thready Qty Per Inch (tpi):
18 all ends
Maximum Operating Pressure:
250.0 pounds per square inch 1st response
Thread Size:
0.375 inches 1st end
Voltage In Volts And Current Type:
115.0 ac
Phase:
Single
Frequency In Hertz:
60.0
Material:
Stainland staal flow control davice

Media For Which Designed:

Fuel/oil, hydrocarbon 2nd response

Style Designator:

Straight thru

Thread Series Designator:

Npt all ends

NSN 4810-00-287-5988

Solenoid Valve - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0