

View Online at <https://aerobasegroup.com/nsn/4810-00-289-1206>

**Flow Control Device:**

Piston

**Flow Control Device Normal Operation Position:**

Closed

**Bolt Hole Quantity:**

4 all ends

**Maximum Operating Temp:**

400.0 degrees fahrenheit single response

**Current Rating In Amps:**

0.109

**Valve Operation Method:**

Solenoid or manual

**Flange Shape:**

Round with holes all ends

**Connection Type:**

Flange all ends

**Mounting Position:**

Horizontal

**Valve Size:**

1.250 inches

**Inlet/outlet Operating Pressure Differential:**

150.0 pounds per square inch

**Maximum Operating Pressure:**

250.0 pounds per square inch single response

**Voltage In Volts And Current Type:**

110.0 ac

**Outside Diameter:**

4.500 inches all ends

**Face To Face Distance:**

5.750 inches

**Thickness:**

0.406 inches all ends

**Bolt Hole Diameter:**

0.562 inches all ends

**Bolt Circle Diameter:**

3.375 inches all ends

**Flange Face Design:**

Plain all ends

**Phase:**

Single

**Special Features:**

Piston flow control w/pilot valve operating device

**Frequency In Hertz:**

60.0

**Material:**

Copper alloy

**Media For Which Designed:**

Air 1st response

**Style Designator:**

Straight through flanged ends

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A046b0