## NSN 4810-00-295-6399

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-295-6399

Pipe Size Accommodated:
0.125 inches 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Disk
Flow Control Device Normal Operation Position:
Closed
Renewable Seat Ring Type:
Pressed-in
Maximum Operating Temp:
175.0 degrees fahrenheit 2nd response
Current Rating In Amps:
60.000
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe 1st end
Mounting Position:
Vertical
Thready Qty Per Inch (tpi):
27 1st end
Maximum Operating Pressure:
150.0 pounds per square inch single response
Thread Size:
0.125 inches 1st end
Voltage In Volts And Current Type:
120.0 ac
Phase:
Single
Frequency In Hertz:
60.0
Material:
Stainless steel seat
Material Specification:
Rubber, buna-n assn standard single material response flow control device
Media For Which Designed:
Hydrogen single response
Style Designator:
Straight thru
Thread Series Designator:
Npt 1st end

## NSN 4810-00-295-6399

Solenoid Valve - Page 2 of 2



_					
CI	~~	14	I i	ife:	
J.	16			HE.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A046b0