NSN 4810-00-304-7254

Solenoid Valve - Page 1 of 2

Pipe Size Accommodated:

0.375 inches 1st end **Thread Direction:**



View Online at https://aerobasegroup.com/nsn/4810-00-304-7254

Right-hand 1st end
Flow Control Device:
Piston
Flow Control Device Normal Operation Position:
Closed
Maximum Operating Temp:
140.0 degrees fahrenheit single response
Connection Style:
Plain, optional en (pipe) 1st end
Current Rating In Amps:
4.000
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe 1st end
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
18 1st end
Maximum Operating Pressure:
4500.0 pounds per square inch single response
Thread Size:
0.375 inches 1st end
Voltage In Volts And Current Type:
115.0 ac
Phase:
Single
Frequency In Hertz:
60.0
Material:
Stainless steel flow control device
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Surface Treatment:
Anodize
Style Designator:
Straight thru
Thread Series Designator:
Npt 1st end

NSN 4810-00-304-7254

Solenoid Valve - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0