NSN 4810-00-310-5583

View Online at https://aerobasegroup.com/nsn/4810-00-310-5583

Solenoid Valve - Page 1 of 2



Thread Class: 3b all ends **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.250 inches Flow Control Device: Piston Flow Control Device Normal Operation Position: Closed **Maximum Operating Temp:** 275.0 degrees fahrenheit single response **Connection Style:** G4 gasket sea (boss) all ends **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal boss all ends **Mounting Position:** Horizontal Thready Qty Per Inch (tpi): 20 1st end **Maximum Operating Pressure:** 250.0 pounds per square inch single response **Thread Size:** 0.437 inches all ends Seat Angle: 37.0 degrees 1st end **Voltage In Volts And Current Type:** 250.0 dc **Outside Diameter Tube Accommodated:** 0.250 inches 1st end Material: Stainless steel flow control device Media For Which Designed: Fuel/oil, hydrocarbon single response **Surface Treatment:** Anodize Style Designator: Err-090

Thread Series Designator:

Unf all ends

NSN 4810-00-310-5583

Solenoid Valve - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0