NSN 4810-00-318-2000

Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-318-2000 **Body Material:** Aluminum alloy **Outside Surface Treatment:** Anodized **Body Style:** Tee Stem Material: Steel, corrosion resisting Media For Which Designed: Hydraulic fluid, phosphate-ester base **First End Connection Type:** Threaded internal boss First End Style Designator: Gasket seal First End Thread Size And Series/type Designator: 3/4-16 unf **First End Thread Class:** 3b **First End Thread Direction:** Right-hand **Second End Relationship With First End:** Identical Third End Relationship With Preceding Ends: Not identical with first or second end **Third End Connection Type:** Threaded internal boss Third End Style Designator: Gasket seal Third End Thread Size And Series/type Designator: 7/16-20 unf **Third End Thread Class:** 3b **Third End Thread Direction:** Right-hand **Seat Material:** Steel, corrosion resisting **Packing Material:** Rubber, synthetic Flow Control Device:

Poppet

NSN 4810-00-318-2000 Fluid Pressure Regulating Valve - Page 2 of 2



Mounting Facility:
Bolts
Outlet Pressure Range:
+200.0/+1500.0 pounds per square inch
Regulation Type:
Automatic single stage
Valve Loading Method:
Spring
Maximum Inlet Pressure Rating:
3000.0 pounds per square inch
Filter:
Not included
Tempurature Rating:
Between -65.0 degrees fahrenheit and 200.0 degrees fahrenheit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A21100