

View Online at <https://aerobasegroup.com/nsn/4810-00-339-2373>

**Thread Class:**

2a 1st end

**Thread Direction:**

Right-hand 1st end

**Aperture Diameter:**

1.125 inches

**Flow Control Device:**

Needle

**Flow Control Device Normal Operation Position:**

Closed

**Bolt Hole Quantity:**

5 2nd end

**Connection Style:**

Plain (tube) 1st end

**Width:**

1.438 inches 2nd end

**Length:**

1.359 inches 2nd end

**Current Rating In Amps:**

0.590

**Valve Operation Method:**

Solenoid

**Flange Shape:**

Triangular with holes 2nd end

**Connection Type:**

Threaded external tube 1st end

**Mounting Position:**

Horizontal or vertical

**Maximum Operating Pressure:**

40.0 pounds per square inch single response

**Thread Size:**

0.625 inches 1st end

**Voltage In Volts And Current Type:**

30.0 dc

**Thickness:**

0.078 inches 2nd end

**Bolt Hole Diameter:**

0.156 inches 2nd end

**Bolt Circle Diameter:**

1.125 inches 2nd end

**Flange Face Design:**

Plain 2nd end

**Material:**

Stainless steel flow control device

**Media For Which Designed:**

Water-oil-gas single response

**Surface Treatment:**

Cadmium

**Style Designator:**

Angle

**Thread Series Designator:**

Unef 1st end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A046b0