NSN 4810-00-350-9342

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-350-9342 **Thread Class:** 2b all ends **Thread Direction:** Right-hand all ends Flow Control Device: **Poppet** Flow Control Device Normal Operation Position: Open **Maximum Operating Temp:** 275.0 degrees fahrenheit single response **Connection Style:** Gasket sea (boss) all ends **Current Rating In Amps:** 0.250 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal boss all ends **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 12 all ends **Inlet/outlet Operating Pressure Differential:** 125.0 pounds per square inch **Maximum Operating Pressure:** 400.0 pounds per square inch single response **Thread Size:** 1.312 inches all ends **Voltage In Volts And Current Type:** 24.0 dc and 28.5 dc **Special Features:** W/altitude 0 to 70, 000 ft. Non-operating Material: Stainless steel Media For Which Designed: Fuel/oil, hydrocarbon single response **Surface Treatment:** Varnish Style Designator: Angle **Thread Series Designator:**

Un all ends

NSN 4810-00-350-9342

Solenoid Valve - Page 2 of 2



		ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0