

View Online at <https://aerobasegroup.com/nsn/4810-00-351-6839>

Flow Control Device:

Piston

Flow Control Device Normal Operation Position:

Closed

Bolt Hole Quantity:

4 1st end

Maximum Operating Temp:

160.0 degrees fahrenheit single response

Width:

2.750 inches 1st end

Length:

3.000 inches 1st end

Current Rating In Amps:

1.000

Valve Operation Method:

Solenoid

Flange Shape:

Rectangular with holes 1st end

Connection Type:

Flange 1st end

Mounting Position:

Horizontal

Valve Size:

3.000 inches

Maximum Operating Pressure:

60.0 pounds per square inch single response

Voltage In Volts And Current Type:

18.0 dc and 30.0 dc

Face To Face Distance:

6.090 inches

Thickness:

0.250 inches 1st end

Bolt Hole Diameter:

0.328 inches 1st end

Bolt Circle Diameter:

2.124 inches 1st end

Center To Center Distance Between Bolt Holes Along Length:

2.375 inches 1st end

Center To Center Distance Between Bolt Holes Along Width:

2.375 inches 1st end

Flange Face Design:

Plain 1st end

Material:

Stainless steel

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Surface Treatment:

Anodize

Style Designator:

Straight through flanged ends

Reference Number Differentiating Characteristics:

As differentiated by source control dwg number

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A046b0