NSN 4810-00-351-6839

Flow Control Device Normal Operation Position:

Solenoid Valve - Page 1 of 2

Flow Control Device:

Piston

Closed



View Online at https://aerobasegroup.com/nsn/4810-00-351-6839

Bolt Hole Quantity:
4 1st end
Maximum Operating Temp:
160.0 degrees fahrenheit single response
Width:
2.750 inches 1st end
Length:
3.000 inches 1st end
Current Rating In Amps:
1.000
Valve Operation Method:
Solenoid
Flange Shape:
Rectangular with holes 1st end
Connection Type:
Flange 1st end
Mounting Position:
Horizontal
Valve Size:
3.000 inches
Maximum Operating Pressure:
60.0 pounds per square inch single response
Voltage In Volts And Current Type:
18.0 dc and 30.0 dc
Face To Face Distance:
6.090 inches
Thickness:
0.250 inches 1st end
Bolt Hole Diameter:
0.328 inches 1st end
Bolt Circle Diameter:
2.124 inches 1st end
Center To Center Distance Between Bolt Holes Along Length:
2.375 inches 1st end
Center To Center Distance Between Bolt Holes Along Width:
2.375 inches 1st end
Flange Face Design:
Plain 1st end

NSN 4810-00-351-6839 Solenoid Valve - Page 2 of 2



Material:
Stainless steel
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Surface Treatment:
Anodize
Style Designator:
Straight through flanged ends
Reference Number Differentiating Characteristics:
As differentiated by source controldwg number
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A046b0