## NSN 4810-00-394-2851

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-394-2851 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.375 inches Flow Control Device: Disk Flow Control Device Normal Operation Position: Closed **Maximum Operating Temp:** 353.0 degrees fahrenheit single response **Connection Style:** Plain, optional en (pipe) all ends **Current Rating In Amps:** 0.050 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal or vertical **Power Drive Operating Pressure:** 1.0 pounds per square inch **Inlet/outlet Operating Pressure Differential:** 125.0 pounds per square inch **Maximum Operating Pressure:** 125.0 pounds per square inch single response **Thread Size:** 0.375 inches all ends **Voltage In Volts And Current Type:** 120.0 ac Phase: Single Frequency In Hertz: 60.0 Material:

Plastic polytetrafluoroethylene flow control device

Media For Which Designed:

Steam single response

Style Designator:

Straight through y-pattern

**Thread Series Designator:** 

Npt all ends

## NSN 4810-00-394-2851

Solenoid Valve - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A046b0