NSN 4810-00-395-1761

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-395-1761 **Thread Class:** 3b all ends **Thread Direction:** Right-hand all ends Flow Control Device: Piston Flow Control Device Normal Operation Position: Closed **Connection Style:** Gasket sea (boss) all ends **Current Rating In Amps:** 0.500 **Valve Operation Method:** Automatic **Connection Type:** Threaded internal boss all ends **Mounting Position:** Horizontal or vertical **Maximum Operating Pressure:** 6000.0 pounds per square inch single response **Thread Size:** 0.437 inches all ends **Voltage In Volts And Current Type:** 18.0 dc and 30.0 dc Material: Aluminum alloy body **Material Specification:** Qq-a-250/4 federal specification single material response body **Surface Treatment:** Anodize **Surface Treatment Specification:** Mil-a-8625, type 1 military specification single treatment response **Style Designator:** Straight thru **Thread Series Designator:** Unjf all ends Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 4810-00-395-1761

Solenoid Valve - Page 2 of 2



Fiig:

A046b0

Mil-std (military Standard):

Mil-a-8625 spec.