NSN 4810-00-395-1761

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-395-1761

Thread Class:

3b all ends

Thread Direction:

Right-hand all ends

Flow Control Device:

Piston

Flow Control Device Normal Operation Position:

Closed

Connection Style:

Gasket sea (boss) all ends

Current Rating In Amps:

0.500

Valve Operation Method:

Automatic

Connection Type:

Threaded internal boss all ends

Mounting Position:

Horizontal or vertical

Maximum Operating Pressure:

6000.0 pounds per square inch single response

Thread Size:

0.437 inches all ends

Voltage In Volts And Current Type:

18.0 dc and 30.0 dc

Material:

Aluminum alloy body

Material Specification:

Qq-a-250/4 federal specification single material response body

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 1 military specification single treatment response

Style Designator:

Straight thru

Thread Series Designator:

Unjf all ends

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

NSN 4810-00-395-1761

Solenoid Valve - Page 2 of 2

Fiig: A046b0

Mil-std (military Standard):

Mil-a-8625 spec.

