## NSN 4810-00-431-0200

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-431-0200 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.125 inches Flow Control Device: Disk Flow Control Device Normal Operation Position: Closed **Maximum Operating Temp:** 180.0 degrees fahrenheit single response **Connection Style:** Plain, optional en (pipe) all ends **Current Rating In Amps:** 0.051 and 0.026 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Vertical **Maximum Operating Pressure:** 130.0 pounds per square inch single response **Thread Size:** 0.125 inches all ends **Voltage In Volts And Current Type:** 115.0 ac and 230.0 ac Phase: Single Frequency In Hertz: 60.0 Material: Rubber butadiene-acrylonitrile class nbr flow control device Media For Which Designed: Fuel/oil, hydrocarbon single response **Style Designator:** Straight thru **Thread Series Designator:** Npt all ends Shelf Life:

N/a

**Unit Of Measure:** 

## NSN 4810-00-431-0200

Solenoid Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A046b0