## NSN 4810-00-457-7123

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-457-7123 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.156 inches Flow Control Device: Disk Flow Control Device Normal Operation Position: Closed Renewable Seat Ring Type: Threaded **Maximum Operating Temp:** 344.0 degrees fahrenheit single response **Connection Style:** Plain, optional en (pipe) all ends **Current Rating In Amps:** 0.096 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal or vertical **Inlet/outlet Operating Pressure Differential:** 140.0 pounds per square inch **Maximum Operating Pressure:** 70.0 pounds per square inch single response **Thread Size:** 0.250 inches all ends **Voltage In Volts And Current Type:** 115.0 ac Phase: Single Frequency In Hertz: 60.0 Material: Stainless steel seat Media For Which Designed: Steam single response **Style Designator:** Straight thru

**Thread Series Designator:** 

Npt all ends

## NSN 4810-00-457-7123

Solenoid Valve - Page 2 of 2



_					
C.	~~	14	I i	ife:	
J.	16			HE.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A046b0