## NSN 4810-00-476-7253

Solenoid Valve - Page 1 of 2

Thread Class: 3b 1st end

Thread Direction:
Right-hand 1st end
Flow Control Device:



View Online at https://aerobasegroup.com/nsn/4810-00-476-7253

Disk
Flow Control Device Normal Operation Position:
Closed
Maximum Operating Temp:
165.0 degrees fahrenheit single response
Connection Style:
Gasket sea (boss) 1st end
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal boss 1st end
Mounting Position:
Horizontal
Thready Qty Per Inch (tpi):
20 1st end
Power Drive Operating Pressure:
1100.0 pounds per square inch
Inlet/outlet Operating Pressure Differential:
50.0 pounds per square inch
Maximum Operating Pressure:
1100.0 pounds per square inch single response
Thread Size:
Thread Size:
Thread Size: 0.437 inches 1st end
Thread Size: 0.437 inches 1st end Voltage In Volts And Current Type:
Thread Size: 0.437 inches 1st end Voltage In Volts And Current Type: 24.0 dc
Thread Size: 0.437 inches 1st end Voltage In Volts And Current Type: 24.0 dc Outside Diameter Tube Accommodated:
Thread Size: 0.437 inches 1st end Voltage In Volts And Current Type: 24.0 dc Outside Diameter Tube Accommodated: 0.375 inches 1st end
Thread Size: 0.437 inches 1st end Voltage In Volts And Current Type: 24.0 dc Outside Diameter Tube Accommodated: 0.375 inches 1st end Special Features:
Thread Size: 0.437 inches 1st end Voltage In Volts And Current Type: 24.0 dc Outside Diameter Tube Accommodated: 0.375 inches 1st end Special Features: Operating time in seconds is 0.015.
Thread Size:  0.437 inches 1st end  Voltage In Volts And Current Type:  24.0 dc  Outside Diameter Tube Accommodated:  0.375 inches 1st end  Special Features:  Operating time in seconds is 0.015.  Material:
Thread Size:  0.437 inches 1st end  Voltage In Volts And Current Type:  24.0 dc  Outside Diameter Tube Accommodated:  0.375 inches 1st end  Special Features:  Operating time in seconds is 0.015.  Material:  Steel comp 303
Thread Size:  0.437 inches 1st end  Voltage In Volts And Current Type:  24.0 dc  Outside Diameter Tube Accommodated:  0.375 inches 1st end  Special Features:  Operating time in seconds is 0.015.  Material:  Steel comp 303  Media For Which Designed:
Thread Size:  0.437 inches 1st end  Voltage In Volts And Current Type:  24.0 dc  Outside Diameter Tube Accommodated:  0.375 inches 1st end  Special Features:  Operating time in seconds is 0.015.  Material:  Steel comp 303  Media For Which Designed:  Fuel/oil, hydrocarbon single response
Thread Size:  0.437 inches 1st end  Voltage In Volts And Current Type:  24.0 dc  Outside Diameter Tube Accommodated:  0.375 inches 1st end  Special Features:  Operating time in seconds is 0.015.  Material:  Steel comp 303  Media For Which Designed:  Fuel/oil, hydrocarbon single response  Style Designator:
Thread Size:  0.437 inches 1st end  Voltage In Volts And Current Type:  24.0 dc  Outside Diameter Tube Accommodated:  0.375 inches 1st end  Special Features:  Operating time in seconds is 0.015.  Material:  Steel comp 303  Media For Which Designed:  Fuel/oil, hydrocarbon single response  Style Designator:  Straight thru

## NSN 4810-00-476-7253

Solenoid Valve - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A046b0