## NSN 4810-00-484-3760

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-484-3760 **Thread Class:** 3b all ends **Thread Direction:** Right-hand all ends **Aperture Diameter:** 1.336 inches Flow Control Device: **Poppet** Flow Control Device Normal Operation Position: Closed **Maximum Operating Temp:** 275.0 degrees fahrenheit single response **Connection Style:** Flar (tube) all ends **Current Rating In Amps:** 1.500 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal tube all ends **Mounting Position:** Vertical Thready Qty Per Inch (tpi): 12 all ends **Maximum Operating Pressure:** 4000.0 pounds per square inch single response **Thread Size:** 1.312 inches all ends **Voltage In Volts And Current Type:** 18.0 dc and 30.0 dc **Outside Diameter Tube Accommodated:** 1.000 inches all ends Material: Copper alloy Media For Which Designed: Fuel/oil, hydrocarbon single response Style Designator: Angle

**Thread Series Designator:** Unj all ends

Shelf Life:

N/a

## **NSN 4810-00-484-3760** Solenoid Valve - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

Demilitarization:

No

Fiig:

A046b0