# NSN 4810-00-494-2978

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-494-2978

# Thread Direction:

Right-hand all ends

Flow Control Device:

Diaphragm

# Flow Control Device Normal Operation Position:

Closed

#### Renewable Seat Ring Type:

Pressed-in

#### Maximum Operating Temp:

338.0 degrees fahrenheit single response

#### **Connection Style:**

Plain, optional en (pipe) all ends

#### **Current Rating In Amps:**

0.067

#### Valve Operation Method:

Solenoid

#### **Connection Type:**

Threaded internal pipe all ends

#### Mounting Position:

Horizontal

#### Maximum Operating Pressure:

100.0 pounds per square inch single response

#### Thread Size:

0.500 inches all ends

#### Voltage In Volts And Current Type:

120.0 ac

Phase:

Single

#### **Special Features:**

Two 24 in. Electrical leads

#### **Frequency In Hertz:**

60.0

# Material:

Plastic polytetrafluoroethylene seat

# Media For Which Designed:

Steam single response

# Style Designator:

Straight thru

# Thread Series Designator:

Npt all ends

### Shelf Life:

N/a

# NSN 4810-00-494-2978

Solenoid Valve - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A046b0

