

View Online at <https://aerobasegroup.com/nsn/4810-00-507-0326>

Flow Control Device:

Disk

Bonnet Type:

Inside spring

Bonnet Attachment Method:

Bolted

Bolt Hole Quantity:

8 all ends

Valve Operation Method:

Hydraulic

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Valve Size:

4.000 inches

Maximum Operating Pressure:

250.0 pounds per square inch single response

Outside Diameter:

7.690 inches all ends

Face To Face Distance:

15.000 inches

Thickness:

1.000 inches all ends

Bolt Hole Diameter:

0.690 inches all ends

Bolt Circle Diameter:

6.560 inches all ends

Flange Face Design:

Plain all ends

Special Features:

Operation pressure connection 0.375 in. Union nut

Material:

Nickel alloy r-405 stem

Material Specification:

Qq-n-281 cl b cd federal specification single material response stem

Media For Which Designed:

Water, salt single response

Style Designator:

Straight through flanged ends

Specification Data:

81349-mil-v-17501 government specification

Specification Or Standard:

1 type and 2 class and 4in. Size

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0

Mil-std (military Standard):

Mil-b-16541 spec.