NSN 4810-00-507-7740

Globe Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-507-7740

Flow Control Device:
Disk
Bonnet Type:
Inside spring
Bonnet Attachment Method:
Bolted
Renewable Seat Ring Type:
Pressed-in
Bolt Hole Quantity:
4 all ends
Valve Operation Method:
Hydraulic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
1.250 inches
Power Drive Operating Pressure:
Between 40.0 pounds per square inch and 250.0 pounds per square inch
Maximum Operating Pressure:
250.0 pounds per square inch single response
Outside Diameter:
4.500 inches all ends
Face To Face Distance:
8.750 inches
Thickness:
0.812 inches all ends
Bolt Hole Diameter:
0.562 inches all ends
Bolt Circle Diameter:
3.375 inches all ends
Flange Face Design:
Plain all ends
Special Features:
Operating pressure connection 0.375 in. Union unt
Material:
Nickel alloy stem
Media For Which Designed:
Water, salt single response
Style Designator:

Straight through flanged ends

NSN 4810-00-507-7740

Globe Valve - Page 2 of 2



Specific	ation	Data:
----------	-------	-------

81349-mil-v-17501 government specification

Specification Or Standard:

1 type and 2 class and 1 1/4in. Size

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A046b0