

View Online at <https://aerobasegroup.com/nsn/4810-00-513-4908>

**Thread Class:**

3b 1st end

**Thread Direction:**

Right-hand 1st end

**Flow Control Device:**

Poppet

**Flow Control Device Normal Operation Position:**

Open

**Connection Style:**

Plain, optional en (pipe) 1st end

**Current Rating In Amps:**

0.500

**Valve Operation Method:**

Solenoid

**Connection Type:**

Threaded internal tube 1st end

**Thready Qty Per Inch (tpi):**

18 1st end

**Inlet/outlet Operating Pressure Differential:**

40.0 pounds per square inch

**Maximum Operating Pressure:**

3000.0 pounds per square inch single response

**Thread Size:**

0.562 inches 1st end

**Seat Angle:**

60.0 degrees 1st end

**Voltage In Volts And Current Type:**

18.0 dc and 30.0 dc

**Outside Diameter Tube Accommodated:**

0.375 inches 1st end

**Special Features:**

3 mtg holes 0.205 in. Id

**Material:**

Steel seat

**Media For Which Designed:**

Fuel/oil, hydrocarbon single response

**Style Designator:**

Angle

**Test Data Document:**

00502-ht26610 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unf 1st end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A046b0