NSN 4810-00-516-3473

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-516-3473 **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end Flow Control Device: Piston Flow Control Device Normal Operation Position: Closed **Connection Style:** Plain, optional en (pipe) 1st end **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal tube 1st end **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 18 1st end **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 0.562 inches 1st end **Voltage In Volts And Current Type:** 24.0 dc **Outside Diameter Tube Accommodated:** 0.375 inches 1st end **Special Features:** Three mounting holes, 0.199 in. Dia Media For Which Designed: Hydraulic fluid, phosphate-ester base single response **Surface Treatment:** Anodize **Style Designator:** Straight through w/offset **Thread Series Designator:** Unf 1st end Shelf Life: N/a **Unit Of Measure:**

Demilitarization: No

NSN 4810-00-516-3473 Solenoid Valve - Page 2 of 2



Fiig:

A046b0