

00-529-3932

NSN 4810-00-529-3932 Solenoid Valve - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/4810-0
Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Aperture Diameter:
0.250 inches
Flow Control Device Normal Operation Position:
Closed
Connection Style:
Gasket sea (boss) 1st end
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal tube 1st end
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
20 1st end
Maximum Operating Pressure:
50.0 pounds per square inch single response
Thread Size:
0.437 inches 1st end
Seat Angle:
37.0 degrees 1st end
Voltage In Volts And Current Type:
24.0 dc and 28.0 dc
Outside Diameter Tube Accommodated:
0.250 inches 1st end
Material:
Steel seat
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Surface Treatment:
Anodize
Style Designator:
Straight thru
Thread Series Designator:
Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

NSN 4810-00-529-3932

Solenoid Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A046b0

