## NSN 4810-00-561-1069

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-561-1069

Pipe Size Accommodated:
0.500 inches 1st end
Thread Direction:
Right-hand 1st end
Aperture Diameter:
0.625 inches
Flow Control Device:
Disk
Flow Control Device Normal Operation Position:
Closed
Maximum Operating Temp:
353.0 degrees fahrenheit single response
Connection Style:
Plain, optional en (pipe) 1st end
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe 1st end
Mounting Position:
Horizontal
Inlet/outlet Operating Pressure Differential:
125.0 pounds per square inch
Maximum Operating Pressure:
150.0 pounds per square inch single response
Voltage In Volts And Current Type:
120.0 ac
Phase:
Single
Frequency In Hertz:
60.0
Material:
Steel flow control device
Material Specification:
Astm 167-canceled assn standard single material response flow control device
Media For Which Designed:
Water-oil-gas single response
Style Designator:
Straight thru
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 4810-00-561-1069

Solenoid Valve - Page 2 of 2



_						
11	em)	 tor	172	+ 1	nn	

No

Fiig:

A046b0