NSN 4810-00-561-1398

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-00-561-1398 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.750 inches Flow Control Device: Piston Flow Control Device Normal Operation Position: Closed **Maximum Operating Temp:** 180.0 degrees fahrenheit single response **Connection Style:** Plain, optional en (pipe) all ends **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal or vertical **Inlet/outlet Operating Pressure Differential:** 5.0 pounds per square inch **Maximum Operating Pressure:** 300.0 pounds per square inch single response **Thread Size:** 0.750 inches all ends **Voltage In Volts And Current Type:** 115.0 ac Phase: Single **Special Features:** General purpose solenoid enclosure Frequency In Hertz: 60.0 Material: Copper alloy body Media For Which Designed: Air 1st response **Thread Series Designator:**

Style Designator: Straight thru Npt all ends Shelf Life: N/a

NSN 4810-00-561-1398

Solenoid Valve - Page 2 of 2



ı	In	it I	Of	· M	دما	e i	ıre:
ι	JΝ	II '	ωı	IV	еа	SU	ıre:

--

Demilitarization:

No

Fiig:

A046b0