## NSN 4810-00-566-1395



Solenoid Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4810-00-566-1395 **Thread Direction:** Right-hand all ends **Flow Control Device:** Needle or stem Flow Control Device Normal Operation Position: Open **Maximum Operating Temp:** 104.0 degrees fahrenheit single response **Connection Style:** Plain, optional en (pipe) all ends **Current Rating In Amps:** 0.102 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal or vertical **Maximum Operating Pressure:** 150.0 pounds per square inch single response **Thread Size:** 0.500 inches all ends **Voltage In Volts And Current Type:** 110.0 ac and 120.0 ac Phase: Single Frequency In Hertz: 50.0 and 60.0 Material: Steel flow control device **Material Specification:** Fedstd66, aisi3021sae30302 federal standard single material response flow control device Media For Which Designed: Gas, natural 2nd response **Style Designator:** Straight thru **Thread Series Designator:** Npt all ends Shelf Life: N/a

**Unit Of Measure:** 

## NSN 4810-00-566-1395

Solenoid Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A046b0