

View Online at <https://aerobasegroup.com/nsn/4810-00-571-0111>

**Valve Operation Method:**

Air

**Flange Shape:**

Round 2nd end

**Connection Type:**

Flange 1st end

**Outside Diameter:**

4.750 inches all ends

**Face To Face Distance:**

4.094 inches

**Thickness:**

0.156 inches all ends

**Flange Face Design:**

Plain 2nd end

**Raised Face Height:**

0.125 inches all ends

**Raised Face Diameter:**

4.000 inches all ends

**Special Features:**

End 1 has gasket ring undercut 4.375 inch od by 4.000 inch id by 0.094 inch dp. End 2 has gasket ring undercut 4.062 inch od by 0.125 inch dp cut to the 3.875 inch bore id. O/a dim 11.12 inch lg by 9.00 inch w by 4.50 inch h. One external thd flared tube fitting 7/16-20unf and one internal thd dbl compression fitting 7/16-20unf provided for hydraulic hose attachment. Solenoid installed p/n 311473-4-99193. Two each compression ring gaskets furnished, 4.37 inch od by 4.03 inch id by 0.156 inch thk

**Material:**

Steel stem

**Surface Treatment:**

Passivate

**Style Designator:**

Straight thru

**Test Data Document:**

99193-109382-17-1 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0